

CIVIL AERONAUTICS MANUAL 3

U. S. Department of Commerce

Civil Aeronautics Administration

Civil Aeronautics Manuals and Supplements thereto are issued by the Office of Aviation Safety, Civil Aeronautics Administration, for the guidance of the public and are published in the Federal Register and the Code of Federal Regulations.

Supplement No. 4

September 1, 1949

SUBJECT: Cross-index to Part 3

This supplement provides users of Part 3 with a detailed cross-index of the section numbers listed in the December 15, 1946 issue, as amended, and the new numbering system for this part as required by the Regulations of the Administrative Committee of the Federal Register. This index lists the new major section titles, the corresponding new section numbers, and the previous section numbers. It is anticipated that at the next re-printing of this part by the CAB the new numbers will be incorporated. For your information, re-numbered Part 3 appeared in Volume 14, Number 136, Part II, Section 1, of the Federal Register, on July 16, 1949.

Part 3 Cross-index

Attached are pages headed "CAR 3 - Cross-index," and dated September 1, 1949. These pages should be retained as the third in a series of similar statements that will be issued explaining or implementing Civil Air Regulation Part 3.

*John F. Warlick*  
for E. S. Hensley  
Director, Office of  
Aviation Safety

Attachment

Distribution: Air 1, 2, 3, 13, 14, 40 all tabs, 40-B  
40-C, 40-D, 40-E, 40-F-1

CROSS-INDEX FOR PART 3, "AIRPLANE AIRWORTHINESS  
NORMAL, UTILITY, ACROBATIC AND RESTRICTED PURPOSE  
CATEGORIES"

SUBPART A - AIRWORTHINESS REQUIREMENTS

General

- |     |                   |                       |
|-----|-------------------|-----------------------|
| 3.1 | (Previously 3.00) | Scope                 |
| 3.2 | ( " 3.01)         | Date of effectiveness |

Airplane Categories

- |     |                   |                     |
|-----|-------------------|---------------------|
| 3.6 | (Previously 3.02) | Airplane categories |
|-----|-------------------|---------------------|

Airworthiness Certificates

- |      |                   |                |
|------|-------------------|----------------|
| 3.11 | (Previously 3.03) | Classification |
|------|-------------------|----------------|

Type Certificates

- |      |                   |  |
|------|-------------------|--|
| 3.15 | (Previously 3.04) | Requirements for issuance                        |
| 3.16 | ( " 3.041)        | Data required for NC and NR certification        |
| 3.17 | ( " 3.042)        | Inspection and tests for NC and NR certification |
| 3.18 | ( " 3.0420)       | Inspection                                       |
| 3.19 | ( " 3.0421)       | Flight tests                                     |

Changes

- |      |                   |   |
|------|-------------------|---|
| 3.23 | (Previously 3.05) | Changes   |
| 3.24 | ( " 3.050)        | Minor changes                                     |
| 3.25 | ( " 3.051)        | Major changes                                     |
| 3.26 | ( " 3.052)        | Service experience changes                        |
| 3.27 | ( " 3.0520)       | Application to earlier airworthiness requirements |

Approval of Materials, Parts, Processes and Appliances

- |      |                   |                |
|------|-------------------|----------------|
| 3.31 | (Previously 3.06) | Specifications |
|------|-------------------|----------------|

Definitions

- |      |                     |                                     |
|------|---------------------|-------------------------------------|
| 3.41 | (Previously 3.0701) | Standard atmosphere                 |
| 3.42 | ( " 3.0702)         | Hot-day condition                   |
| 3.43 | ( " 3.0703)         | Airplane configuration              |
| 3.44 | ( " 3.071)          | Weights                             |
| 3.45 | ( " 3.072)          | Power                               |
| 3.46 | ( " 3.073)          | Speeds                              |
| 3.47 | ( " 3.074)          | Structural terms                    |
| 3.48 | ( " 3.075)          | Susceptibility of materials to fire |

September 1, 1949

CAR 3, CROSS-INDEX

SUBPART B - FLIGHT REQUIREMENTS

General

3.61	(Previously 3.100)	Policy re proof of compliance
3.62	( " 3.101)	Flight test pilot
3.63	( " 3.102)	Noncompliance with test requirements
3.64	( " 3.103)	Emergency egress
3.65	( " 3.104)	Report

Weight Range and Center of Gravity

3.71	(Previously 3.11)	Weight and balance
3.72	( " 3.110)	Use of ballast
3.73	( " 3.112)	Empty weight
3.74	( " 3.113)	Maximum weight
3.75	( " 3.114)	Minimum weight
3.76	( " 3.115)	Center of gravity position

Performance Requirements

General

3.81	(Previously 3.12)	Performance
3.82	( " 3.121)	Definition of stalling speeds
3.83	( " 3.1210)	Stalling speed

Take-off

3.84	(Previously 3.122)	Take-off
------	--------------------	----------

Climb

3.85	(Previously 3.123)	Climb
------	--------------------	-------

Landing

3.86	(Previously 3.124)	Landing
------	--------------------	---------

Flight Characteristics

3.105	(Previously 3.13)	Requirements
-------	-------------------	--------------

Controllability

3.106	(Previously 3.131)	General
3.107-U	( " 3.131-U)	Approved acrobatic maneuvers
3.108-A	( " 3.131-A)	Acrobatic maneuvers
3.109	( " 3.1310)	Longitudinal control
	3.13100)	
	3.13101)	
	3.13102)	

September 1, 1949

CAR 3, CROSS-INDEX

Controllability  
(continued)

- 3.110 (Previously 3.1311) Lateral and directional control  
3.13110)  
3.13111)  
3.111 (Previously 3.1312) Minimum control speed ( $V_{mc}$ )

Trim

- 3.112 (Previously 3.132) Requirements

Stability

- 3.113 (Previously 3.133) General  
3.114 ( " 3.1331) Static longitudinal stability  
3.115 ( " 3.13310) Specific conditions  
3.116 ( " --- ) Instrumented stick force measurements  
3.117 ( " 3.1332) Dynamic longitudinal stability  
3.118 ( " 3.1333) Directional and lateral stability  
3.13330)  
3.13331)

Stalls

- 3.120 (Previously 3.134) Stalling demonstration  
3.121 ( " 3.1340) Climbing stalls  
3.122 ( " 3.1341) Turning flight stalls  
3.123 ( " 3.1342) One-engine-inoperative stalls

Spinning

- 3.124 (Previously 3.135-N) Spinning  
3.135-U)  
3.135-A)  
3.135-NU)

Ground and Water Characteristics

- 3.143 (Previously 3.14) Requirements  
3.144 ( " 3.141) Longitudinal stability and control  
3.145 ( " 3.142) Directional stability and control  
3.146 ( " 3.143) Shock absorption  
3.147 ( " 3.144) Spray characteristics

Flutter and Vibration

- 3.159 (Previously 3.15) Flutter and vibration

September 1, 1949

CAR 3, CROSS-INDEX

SUBPART C - STRENGTH REQUIREMENTS

General

3.171 (Previously 3.200) Loads  
3.172 ( " 3.201) Factor of safety  
3.173 ( " 3.202) Strength and deformations  
3.174 ( " 3.203) Proof of structure

Flight Loads

3.181 (Previously 3.210) General  
3.182 ( " 3.2101) Definition of flight load factor

Symmetrical Flight Conditions (Flaps Retracted)

3.183 (Previously 3.211) General  
3.184 ( " 3.2110) Design air speeds  
3.185 ( " 3.2111) Maneuvering envelope  
3.186 ( " 3.21110) Maneuvering load factors  
3.187 ( " 3.2112) Gust envelope  
3.188 ( " 3.21120) Gust load factors  
3.189 ( " 3.2113) Airplane equilibrium

Flaps Extended Flight Conditions

3.190 (Previously 3.212) Flaps extended flight conditions

Unsymmetrical Flight Conditions

3.191 (Previously 3.213) Unsymmetrical flight conditions  
3.2131)  
3.2132)

Supplementary Conditions

3.194 (Previously 3.2141) Special condition for rear lift truss  
3.195 ( " 3.2142) Engine torque effects  
3.196 ( " 3.2143) Side load on engine mount

Control Surface Loads

3.211 (Previously 3.220) General  
3.212 ( " 3.2201) Pilot effort  
3.213 ( " 3.2202) Trim tab effects

September 1, 1949

## CAR 3, CROSS-INDEX

### Horizontal Tail Surfaces

3.214	(Previously 3.221)	Horizontal tail surfaces
3.215	( " 3.2211)	Balancing loads
3.216	( " 3.2212)	Maneuvering loads
3.217	( " 3.2213)	Gust loads
3.218	( " 3.2214)	Unsymmetrical loads

### Vertical Tail Surfaces

3.219	(Previously 3.2221)	Maneuvering loads
3.220	( " 3.2222)	Gust loads
3.221	( " 3.2223)	Outboard fins

### Ailerons, Wing Flaps, Tabs, etc.

3.222	(Previously 3.223)	Ailerons
3.223	( " 3.224)	Wing flaps
3.224	( " 3.225)	Tabs
3.225	( " 3.226)	Special devices

### Control System Loads

3.231	(Previously 3.230)	Primary flight controls and systems
3.232	( " 3.2300)	Dual controls
3.233	( " 3.231)	Ground gust conditions
3.234	( " 3.232)	Secondary controls and systems

### Ground Loads

3.241	(Previously 3.24)	Ground loads
3.242	( " 3.240)	Design weight
3.243	( " 3.241)	Load factor for landing conditions

### Landing Cases and Attitudes

3.244	(Previously 3.242)	Landing cases and attitudes
3.245	( " 3.2421)	Level landing
3.246	( " 3.2422)	Tail down
3.247	( " 3.2423)	One-wheel landing

### Ground Roll Conditions

3.248	(Previously 3.2431)	Braked roll
3.249	( " 3.2432)	Side load

September 1, 1949

## CAR 3, CROSS-INDEX

### Tail Wheels

3.250 (Previously 3.244) Supplementary conditions for tail wheels  
3.251 ( " 3.2441) Obstruction load  
3.252 ( " 3.2442) Side load

### Nose Wheels

3.253 (Previously 3.245) Supplementary conditions for nose wheels  
3.254 ( " 3.2451) Aft load  
3.255 ( " 3.2452) Forward load  
3.256 ( " 3.2453) Side load

### Skiplanes

3.257 (Previously 3.246) Supplementary conditions for skiplanes

### Water Loads

3.265 (Previously 3.25) General

### Design Weight

3.266 (Previously 3.250) Design Weight

### Boat Seaplanes

3.267 (Previously 3.2510) Local bottom pressures  
3.268 ( " 3.2511) Distributed bottom pressures  
3.269 ( " 3.2512) Step loading condition  
3.270 ( " 3.2513) Bow loading condition  
3.271 ( " 3.2514) Stern loading condition  
3.272 ( " 3.2515) Side loading condition

### Float Seaplanes

3.273 (Previously 3.2520) Landing with inclined reactions  
3.275 ( " 3.2521) Landing with vertical reactions  
3.277 ( " 3.2522) Landing with side load  
3.278 ( " 3.2523) Supplementary load conditions  
3.279 ( " 3.2524) Bottom loads

### Wing-tip Float and Sea Wing Loads

3.280 (Previously 3.253) Wing-tip float loads  
3.281 ( " 3.2530) Wing structure  
3.282 ( " 3.254) Sea wing loads

September 1, 1949

CAR 3, CROSS-INDEX

SUBPART D - DESIGN AND CONSTRUCTION

General

3.291	(Previously 3.30)	General
3.292	( " 3.301)	Materials and workmanship
3.293	( " 3.302)	Fabrication methods
3.294	( " 3.3020)	Standard fastenings
3.295	( " 3.303)	Protection
3.296	( " 3.304)	Inspection provisions

Structural Parts

3.301	(Previously 3.310)	Material strength properties and design values
3.302	( " 3.311)	Special factors
3.303	( " 3.3110)	Variability factor
3.304	( " 3.31100)	Castings
3.305	( " 3.3111)	Bearing factors
3.306	( " 3.3112)	Fitting factor
3.307	( " 3.312)	Fatigue strength

Flutter and Vibration

3.311	(Previously 3.32)	Flutter and vibration prevention measures
-------	-------------------	---

Wings

3.317	(Previously 3.330)	Proof of strength
3.318	( " 3.3300)	Ribs
3.319	( " 3.331)	External bracing
3.320	( " 3.332)	Covering

Control Surfaces (Fixed and Movable)

3.327	(Previously 3.341)	Proof of strength
3.328	( " 3.342)	Installation
3.329	( " 3.343)	Hinges

Control Systems

3.335	(Previously 3.350)	General
3.336	( " 3.351)	Primary flight controls
3.337	( " 3.352)	Trimming controls
3.338	( " 3.353)	Wing flap controls
3.339	( " 3.3530)	Flap interconnection
3.340	( " 3.354)	Stops

September 1, 1949

## CAR 3, CROSS-INDEX

### Control Systems (continued)

3.341	(Previously 3.355)	Control system locks
3.342	( " 3.356)	Proof of strength
3.343	( " 3.3560)	Operation test

### Control System Details

3.344	(Previously 3.3570)	General
3.345	( " 3.3571)	Cable systems
3.346	( " 3.3572)	Joints
3.347	( " 3.3573)	Spring devices

### Landing Gear

#### Shock Absorbers

3.351	(Previously 3.361)	Tests
3.352	( " 3.3610)	Shock absorption tests
3.353	( " 3.3611)	Limit drop tests
3.354	( " 3.3612)	Limit load factor determination
3.355	( " 3.3613)	Reserve energy absorption drop tests

#### Retracting Mechanism

3.356	(Previously 3.362)	General
3.357	( " 3.3620)	Emergency operation
3.358	( " 3.3621)	Operation test
3.359	( " 3.3622)	Position indicator and warning device
3.360	( " 3.3623)	Control

#### Wheels and Tires

3.361	(Previously 3.363)	Wheels
3.362	( " 3.364)	Tires

#### Brakes

3.363	(Previously 3.365)	Brakes
-------	--------------------	--------

#### Skis

3.364	(Previously 3.366)	Skis
3.365	( " 3.3660)	Installation
3.366	( " 3.3661)	Tests

September 1, 1949

## CAR 3, CROSS-INDEX

### Hulls and Floats

3.371	(Previously 3.370)	Buoyancy (main seaplane floats)
3.372	( " 3.371)	Buoyancy (boat seaplanes)
3.373	( " 3.372)	Water stability

### Fuselage

#### Pilot Compartment

3.381	(Previously 3.3800)	General
3.382	( " 3.3801)	Vision
3.383	( " 3.38010)	Pilot windshield and windows
3.384	( " 3.3802)	Cockpit controls
3.385	( " 3.38021)	Instruments and markings

#### Emergency Provisions

3.386	(Previously 3.3811)	Protection
3.387	( " 3.3812)	Exits
		3.3812-UA)
3.388	( " 3.3813)	Fire Precautions
		3.38131)
		3.38132)

#### Personnel and Cargo Accommodations

3.389	(Previously 3.3821)	Doors
3.390	( " 3.3822)	Seats and berths
		3.3822-UA)
3.391	( " 3.38221)	Safety belt or harness provisions
3.392	( " 3.3823)	Cargo compartments
3.393	( " 3.3824)	Ventilation

### Miscellaneous

3.401	(Previously 3.390)	Leveling marks
-------	--------------------	----------------

## SUBPART E - POWER PLANT INSTALLATIONS: RECIPROCATING ENGINES

### General

3.411	(Previously 3.40)	Components
-------	-------------------	------------

#### Engines and Propellers

3.415	(Previously 3.410)	Engines
3.416	( " 3.411)	Propellers

September 1, 1949

CAR 3, CROSS-INDEX

Engines and Propellers  
(continued)

3.417	(Previously 3.4110)	Propeller vibration
3.418	( " 3.4111)	Propeller pitch and speed limitations
3.419	( " 3.41110)	Speed limitations for fixed pitch propellers, ground adjustable pitch propellers, and automatically varying pitch propellers which cannot be controlled in flight
3.420	(Previously 3.41111)	Speed and pitch limitations for controllable pitch propellers without constant speed controls
3.421	( " 3.41112)	Variable pitch propellers with constant speed controls
3.422	( " 3.4112)	Propeller clearance

Fuel System

3.429	(Previously 3.42)	General
-------	-------------------	---------

Arrangement

3.430	(Previously 3.421)	Fuel system arrangement
3.431	( " 3.4210)	Multi-engine fuel system arrangement
3.432	( " 3.4211)	Pressure cross feed arrangements

Operation

3.433	(Previously 3.4220)	Fuel flow rate
3.434	( " 3.42200)	Fuel flow rate for gravity feed systems
3.435	( " 3.42201)	Fuel flow rate for pump systems
3.436	( " 3.42202)	Fuel flow rate for auxiliary fuel systems and fuel transfer systems
3.437	( " 3.4221)	Determination of unusable fuel supply and fuel system operation on low fuel
3.438	( " 3.4222)	Fuel system hot weather operation
3.439	( " 3.4223)	Flow between interconnected tanks

Fuel Tanks

3.440	(Previously 3.423)	General
3.441	( " 3.4230)	Fuel tank tests
3.442	( " 3.4231)	Fuel tank installation
3.443	( " 3.42320)	Fuel tank expansion space
3.444	( " 3.42321)	Fuel tank sump
3.445	( " 3.42322)	Fuel tank filler connection

September 1, 1949

CAR 3, CROSS-INDEX

Fuel Tanks  
(continued)

3.446	(Previously 3.42323)	Fuel tank vents and carburetor vapor vents
3.447-A	( " 3.42324-A)	Fuel tank vents
3.448	( " 3.42325)	Fuel tank outlet

Fuel Pumps

3.449	(Previously 3.424)	Fuel pump and pump installation
-------	--------------------	---------------------------------

Lines, Fittings, and Accessories

3.550	(Previously 3.425)	Fuel system lines, fittings, and accessories
3.551	( " 3.4251)	Fuel valves
3.552	( " 3.4252)	Fuel strainer

Drains and Instruments

3.553	(Previously 3.426)	Fuel system drains
3.554	( " 3.427)	Fuel system instruments

Oil System

3.561	(Previously 3.43)	Oil system
3.562	( " 3.430)	Oil cooling

Oil Tanks

3.563	(Previously 3.431)	Oil tanks
3.564	( " 3.4310)	Oil tank tests
3.565	( " 3.4311)	Oil tank installation
3.566	( " 3.43120)	Oil tank expansion space
3.567	( " 3.43121)	Oil tank filler connection
3.568	( " 3.43122)	Oil tank vent
		3.43122-A)
3.569	( " 3.43123)	Oil tank outlet

Lines, Fittings, and Accessories

3.570	(Previously 3.432)	Oil system lines, fittings, and accessories
3.571	( " 3.4321)	Oil valves
3.572	( " 3.4322)	Oil radiators
3.573	( " 3.4323)	Oil filters
3.574	( " 3.433)	Oil system drains

September 1, 1949

CAR 3, CROSS-INDEX

Lines, Fittings, and Accessories  
(continued)

3.575	(Previously 3.434)	Engine breather lines
	3.434-A)	
3.576	( " 3.435)	Oil system instruments
3.577	( " 3.436)	Propeller feathering system

Cooling

3.581	(Previously 3.44)	General
-------	-------------------	---------

Tests

3.582	(Previously 3.440)	Cooling tests
3.583	( " 3.4400)	Maximum anticipated summer air temperatures
3.584	( " 3.4401)	Correction factor for cylinder head, oil inlet, carburetor air, and engine coolant inlet temperature
3.585	( " 3.4402)	Correction factor for cylinder barrel temperatures
3.586	( " 3.4403)	Cooling test procedure for single-engine airplanes
3.587	( " 3.4404)	Cooling test procedure for multi-engine airplanes

Liquid Cooling Systems

3.588	(Previously 3.441)	Independent systems
3.589	( " 3.4410)	Coolant tank
3.590	( " 3.44100)	Coolant tank tests
3.591	( " 3.44101)	Coolant tank installation
3.592	( " 3.44102)	Coolant tank filler connection
3.593	( " 3.4411)	Coolant lines, fittings, and accessories
3.594	( " 3.44111)	Coolant radiators
3.595	( " 3.4412)	Cooling system drains
3.596	( " 3.4413)	Cooling system instruments

Induction System

3.605	(Previously 3.45)	General
3.606	( " 3.450)	Induction system de-icing and anti-icing provisions
3.607	( " 3.4501)	Carburetor de-icing fluid flow rate
3.608	( " 3.4502)	Carburetor fluid de-icing system capacity

September 1, 1949

CAR 3, CROSS-INDEX

Induction System  
(continued)

3.609	(Previously 3.4503)	Carburetor fluid de-icing system detail design
3.610	( " 3.451)	Carburetor air preheater design
3.611	( " 3.452)	Induction system ducts
3.612	( " 3.453)	Induction system screens

Exhaust System

3.615	(Previously 3.46)	General
3.616	( " 3.460)	Exhaust manifold
3.617	( " 3.461)	Exhaust heat exchangers
3.618	( " 3.4610)	Exhaust heat exchangers used in ventilating air heating systems

Fire Wall and Cowling

3.623	(Previously 3.470)	Fire walls
3.624	( " 3.4700)	Fire wall construction
3.625	( " 3.471)	Cowling

Power-plant Controls and Accessories

Controls

3.627	(Previously 3.480)	Power-plant controls
3.628	( " 3.4800)	Throttle controls
3.629	( " 3.4801)	Ignition switches
3.630	( " 3.4802)	Mixture controls
3.631	( " 3.4803)	Propeller speed and pitch controls
3.632	( " 3.48030)	Propeller feathering controls
3.633	( " 3.4804)	Fuel system controls
3.634	( " 3.4805)	Carburetor air preheat controls

Accessories

3.635	(Previously 3.481)	Power-plant accessories
3.636	( " 3.4810)	Engine battery ignition systems

Power-plant Fire Protection

3.637	(Previously 3.49)	Power-plant fire protection
-------	-------------------	-----------------------------

September 1, 1949

CAR 3, CROSS-INDEX

SUBPART F - EQUIPMENT

3.651 (Previously 3.50) General  
3.652 ( " 3.500) Functional and installational requirements

Basic Equipment

3.655 (Previously 3.51) Required basic equipment

Instruments; Installation

General

3.661 (Previously 3.5200) Arrangement and visibility of instrument installations  
3.662 ( " 3.5201) Instrument panel vibration characteristics

Flight and Navigational Instruments

3.663 (Previously 3.5210) Air-speed indicating system  
3.664 ( " 3.5211) Air-speed indicator marking  
3.665 ( " 3.5212) Static air vent system  
3.666 ( " 3.5213) Magnetic direction indicator  
3.667 ( " 3.5214) Automatic pilot system  
3.668 ( " 3.5215) Gyroscopic indicators (air-driven type)  
3.669 ( " 3.5216) Suction gauge

Power-plant Instruments

3.670 (Previously 3.5220) Operational markings  
3.671 ( " 3.5221) Instrument lines  
3.672 ( " 3.5222) Fuel quantity indicator  
3.673 ( " 3.5223) Fuel flowmeter system  
3.674 ( " 3.5224) Oil quantity indicator  
3.675 ( " 3.5225) Cylinder head temperature indicating system for air-cooled engines  
3.676 ( " 3.5226) Carburetor air temperature indicating system

Electrical Systems and Equipment

3.681 (Previously 3.53) Installation

Batteries

3.682 (Previously 3.530) Batteries  
3.683 ( " 3.5300) Protection against acid  
3.684 ( " 3.5301) Battery vents

September 1, 1949

## CAR 3, CROSS-INDEX

### Generators

3.685	(Previously 3.531)	Generator
3.686	( " 3.5310)	Generator controls
3.687	( " 3.5311)	Reverse current cut-out

### Master Switch

3.688	(Previously 3.532)	Arrangement
3.689	( " 3.5320)	Master switch installation

### Protective Devices

3.690	(Previously 3.533)	Fuses or circuit breakers
3.691	( " 3.5330)	Protective devices installation
3.692	( " 3.5331)	Spare fuses

### Electric Cables

3.693	(Previously 3.534)	Electric cables
-------	--------------------	-----------------

### Switches

3.694	(Previously 3.535)	Switches
3.695	( " 3.5350)	Switch installation

### Instrument Lights

3.696	(Previously 3.536)	Instrument lights
3.697	( " 3.5360)	Instrument light installation

### Landing Lights

3.698	(Previously 3.537)	Landing lights
3.699	( " 3.5370)	Landing light installation

### Position Lights

3.700	(Previously 3.538)	Type
3.701	( " 3.5380)	Forward position light installation
3.702	( " 3.5381)	Rear position light installation
3.703	( " 3.5382)	Flashing rear position lights

### Anchor Lights

3.704	(Previously 3.539)	Anchor light
3.705	( " 3.5390)	Anchor light installation

September 1, 1949

CAR 3, CROSS-INDEX

Safety Equipment; Installation

3.711	(Previously 3.540)	Marking
3.712	( " 3.541)	De-icers
3.713	( " 3.5420)	Flare requirements
3.714	( " 3.5421)	Flare installation
3.715	( " 3.543)	Safety belts

Emergency Flotation and Signaling Equipment

3.716	(Previously 3.5440)	Rafts and life preservers
3.717	( " 3.5441)	Installation
3.718	( " 3.5442)	Signaling device

Radio Equipment; Installation

3.721	(Previously 3.550)	General
-------	--------------------	---------

Miscellaneous Equipment; Installation

3.725	(Previously 3.560)	Accessories for multi-engine airplanes
-------	--------------------	--

Hydraulic Systems

3.726	(Previously 3.5610)	General
3.727	( " 3.5611)	Tests
3.728	( " 3.5612)	Accumulators

SUBPART G - OPERATING LIMITATIONS AND INFORMATION

3.735	(Previously 3.60)	General
-------	-------------------	---------

Limitations

3.735	(Previously 3.61)	Limitations
-------	-------------------	-------------

Air Speed

3.738	(Previously 3.610)	Air speed
3.739	( " 3.6101)	Never exceed speed ( $V_{ne}$ )
3.740	( " 3.6102)	Maximum structural cruising speed ( $V_{no}$ )
3.741	( " 3.6103)	Maneuvering speed ( $V_p$ )
3.742	( " 3.6104)	Flaps-extended speed ( $V_{fe}$ )
3.743	( " 3.6105)	Minimum control speed ( $V_{mc}$ )

September 1, 1949

CAR 3, CROSS-INDEX

Power Plant

3.744	(Previously 3.611)	Power Plant
3.745	( " 3.6111)	Take-off operation
3.746	( " 3.6112)	Maximum continuous operation
3.747	( " 3.6113)	Fuel octane rating

Airplane Weight

3.748	(Previously 3.612)	Airplane weight
-------	--------------------	-----------------

Minimum Flight Crew

3.749	(Previously 3.613)	Minimum flight crew
-------	--------------------	---------------------

Types of Operation

3.750	(Previously 3.614)	Types of operation
-------	--------------------	--------------------

Markings and Placards

3.755	(Previously 3.62)	Markings and placards
-------	-------------------	-----------------------

Instrument Markings

3.756	(Previously 3.620)	Instrument markings
3.757	( " 3.6200)	Air-speed indicator
3.758	( " 3.6201)	Magnetic direction indicator
3.759	( " 3.6202)	Power-plant instruments
3.760	( " 3.6203)	Oil quantity indicators
3.761	( " 3.6204)	Fuel quantity indicator

Control Markings

3.762	(Previously 3.621)	General
3.763	( " 3.6210)	Aerodynamic controls
3.764	( " 3.6211)	Power-plant fuel controls
3.765	( " 3.6212)	Accessory and auxiliary controls

Miscellaneous

3.766	(Previously 3.6220)	Baggage compartments, ballast location, and special seat loading limitations
3.767	( " 3.6221)	Fuel, oil, and coolant filler openings

September 1, 1949

CAR 3, CROSS-INDEX

Miscellaneous  
(continued)

3.768	(Previously 3.6222)	Emergency exit placards
3.769	( " 3.6223-A)	Approved flight maneuvers
	3.6223-N)	
	3.6223-U)	
3.770	(Previously 3.6224)	Airplane category placard

Airplane Flight Manual

3.777	(Previously 3.63)	Airplane Flight Manual
3.778	( " 3.630)	Operating limitations
3.779	( " 3.631)	Operating procedures
3.780	( " 3.632)	Performance information

SUBPART H - IDENTIFICATION DATA

3.791	(Previously 3.70)	Name plate
3.792	( " 3.71)	Airworthiness certificate number

September 1, 1949