

FAA Approved Model List (AML)

For

Installation of

P/N 2042 Gear Warning System for Amphibian Aircraft

Specification 2042-AML

Rev 4

For use with STC SA00194BO

FAA Approved _____

Robert Mann, Manager

Boston Aircraft Certification Office

Burlington MA

11. Specification 2042-Aerocet, Supplemental Installation Procedure for installing P/N 2042 Gear Alert System in Aircraft having Aerocet Model 3400 Amphibian Floats, Rev 0, dated 05-08-07

I. Installation is approved for the following aircraft models when a set of Model BF2550A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	172A,172B,172C, 172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S	3A12

II. Installation is approved for the following aircraft models when a set of Model BF2550A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	175, 175A, R172K	3A17

FAA Approved _____

Page 3 of 7

III. Installation is approved for the following aircraft models when a set of Model BF2150A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	Sky International Inc.	A-1, A-1A, A-1B	A22NM

IV. Installation is approved for the following aircraft models when a set of Model BF2750A amphibious floats manufactured by Baumann Floats LLC is installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-BF

ITEM	TC Holder	Aircraft Model	TC
1	Maule Aerospace Technology Inc.	M-5-235C, M-6-235, M-7-235, M-7-235A, M-7-235B, M-7-235C, M-7-260, MT-7-235, MT-7-260, MX-7-235	3A23

V. Installation is approved for the following aircraft models when a set of Model 3050A amphibious floats manufactured by P.K. Floats Inc. are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-PKF

ITEM	TC Holder	Aircraft Model	TC

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	A185E, A185F	3A24

VI. Installation is approved for the following aircraft models. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-LA

ITEM	TC Holder	Aircraft Model	TC
1	Revo Incorporated	Colonial C-1, Colonial C-2, Lake LA-4, Lake LA-4A, Lake LA-4P, Lake LA-4-200, Lake Model 250	1A13

VII. Installation is approved for the following aircraft models when a set of Edo Model 3500 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-EDO

FAA Approved _____

Page 4 of 7

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	A185F	3A24
2	The Cessna Aircraft Co.	206, U206,U206A, U206B, U206C, U206D, U206E, U206F, TU206, TU206A, TU206B, TU206C, TU206D, TU206E, TP206A, P206, P206A	A4CE

VIII. Installation is approved for the following aircraft models. Installation is to be performed in accordance with specification IP-2, Installation Manual for Gear Alert System for Amphibian aircraft P/N 2042-1, Rev 1, dated 05-10-05

ITEM	TC Holder	Aircraft Model	TC
1	Sky Enterprises Inc.	RC-3 Seabee	A-769

IX. Installation is approved for the following aircraft models when a set of Wipaire Model 2100 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	172, 172A, 172B, 172C, 172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L 172M, 172N, 172P	3A12
2	The Cessna Aircraft Co.	175	3A17
3	Sky International Inc.	A-1, A-1A, A-1B	A22MN
4	The New Piper Aircraft Co.	PA-18-135, PA-18-150, PA-18A-135, PA-18A-150, PA-18S-135, PA-18S-150, PA-18-AS-135, PA-18S-150	1A2
5	FS 2003 Corp.	PA-12	A-780
6	American Champion Aircraft Corp.	BGCBC	A21CE

FAA Approved _____

Page 5 of 7

X. Installation is approved for the following aircraft models when a set of Wipaire Model 2350 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP.

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	172D, 172E, 172F, 172G, 172H, 172I, 172K, 172L, 172M, 172N, 172P, 172Q, 172R, 172S	3A12
2	The Cessna Aircraft Co	175A, 175B, 175C	3A17
3	Maule Aerospace Technology Inc.	MX-7-180B, MX-7-180C, MX-7-420	3A23

XI. Installation is approved for the following aircraft models when a set of Wipaire Model 3000 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP.

ITEM	TC Holder	Aircraft Model	TC
1	Maule Aerospace Technology Inc.	MT-7-235, M-7-260, M-7-260C, MT-7-260	3A23
2	The Cessna Aircraft Co	185P, 185Q, 185R, 185S	3A24

XII. Installation is approved for the following aircraft models when a set of Wipaire Model 3450 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-WIP.

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co	206H, T206H	A4CE

XIII. Installation is approved for the following aircraft model when a set of Edo Model 58-4580 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-Beaver

ITEM	TC Holder	Aircraft Model	TC
1	Viking Air Limited	DHC-2 Mark I, Mark II, Mark III	

FAA Approved _____

Page 6 of 7

XIV. Installation is approved for the following aircraft model when a set of Aerocet Model 3400 amphibious floats are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-Aerocet

ITEM	TC Holder	Aircraft Model	TC
1	The Cessna Aircraft Co.	180A,180B,180C,180D,180E, 180F, 180G, 180H, 180J, 180K, 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F	

XV. Installation is approved for the following aircraft model when a set of Model 2250A amphibious floats manufactured by P.K. Floats Inc. are installed. Installation to be performed in accordance with Supplemental Installation Procedure, Specification 2042-PKF.

ITEM	TC Holder	Aircraft Model	TC
1	Sky International Inc.	A-1, A-1A, A-1B, A-1C-180, A-1C-200	A22MN

FAA Approved _____

Page 7 of 7