

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|--|---|---|-------------------------------|----------------|------------------------------|------------------------------|--|---|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 1 | Cessna Aircraft Company Model 182P S/N 18260826- 18264295 EXCEPT 18263479 AND 18263675 | 3A13 | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-4 dated 10/7/99, or later FAA approved revision | 6/5/13 |
| 2A | Cessna Aircraft Company Model 182P S/N 18264296- 18265175 | 3A13 | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-3 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 2B | Cessna Aircraft Company Model F182P (1976) | A42EU | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-3 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 3A | Cessna Aircraft Company Model 182Q S/N 18265176- 18266590, 18263479 | 3A13 | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-3 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 3B | Cessna Aircraft Company Model F182Q (1977-1978) | A42EU | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-3 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 4A | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-2 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 4B | Cessna Aircraft Company Model F182Q (1979-1980) | A42EU | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-2 dated 6/22/04, or later FAA approved revision | 6/5/13 |

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|--|---|---|-------------------------------|----------------|------------------------------|------------------------------|--|---|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 5 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-2 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 6 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up | 3A13 | 14 CFR 23 | SA39CH (Gear Advisory) | 3000A | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-1 dated 12/5/01, or later FAA approved revision | 6/5/13 |
| 7 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA39CH (Gear Advisory) | 3000A | 3250 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-9 dated 4/19/11, or later FAA approved revision | 6/5/13 |
| 8 | Cessna Aircraft Company Model 182P S/N 18260826- 18264295 EXCEPT 18263479 AND 18263675 | 3A13 | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-8 dated 10/7/99, or later FAA approved revision | 6/5/13 |
| 9A | Cessna Aircraft Company Model 182P S/N 18264296- 18265175 | 3A13 | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-7 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 9B | Cessna Aircraft Company Model F182P (1976) | A42EU | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-7 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 10A | Cessna Aircraft Company Model 182Q S/N 18265176- 18266590, 18263479 | 3A13 | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-7 dated 6/22/04, or later FAA approved revision | 6/5/13 |

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|---|---|---|--|----------------|------------------------------|------------------------------|--|--|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 10B | Cessna Aircraft Company Model F182Q (1977-1978) | A42EU | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-7 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 11A | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-6 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 11B | Cessna Aircraft Company Model F182Q (1979-1980) | A42EU | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-6 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 12 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-6 dated 6/22/04, or later FAA approved revision | 6/5/13 |
| 13 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up | 3A13 | 14 CFR 23 | None | 3000S | 3100 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-5 dated 12/5/01, or later FAA approved revision | 6/5/13 |
| 14 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | None | 3000S | 3250 Takeoff 3100 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-10 dated 4/20/11, or later FAA approved revision | 6/5/13 |
| 15 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) | 3000A | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-11 dated 5/19/11, or later FAA approved revision | 6/5/13 |

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|---|---|---|--|----------------|------------------------------|------------------------------|--|--|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 16 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA02967CH (Engine Mount) | 3000S | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-12 dated 5/18/11, or later FAA approved revision | 6/5/13 |
| 17 | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00276NY (Wing Tips) | 3000A | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-13 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 18 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00276NY (Wing Tips) | 3000A | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-13 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 19 | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00276NY (Wing Tips) | 3000S | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-14 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 20 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00276NY (Wing Tips) | 3000S | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-14 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 21 | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) | 3000A | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-13 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 22 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) | 3000A | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-A-13 dated 5/13/13 or later FAA approved revision | 6/5/13 |

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|---|---|---|--|----------------|---|------------------------------|---|--|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 23 | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA02967CH (Engine Mount) | 3000S | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-14 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 24 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA02967CH (Engine Mount) | 3000S | 3250 Takeoff 3250 Landing | 12D1-7012 | Revision H, dated 4/5/13, or later FAA approved revision | POHSA01156CH-S-14 dated 5/13/13 or later FAA approved revision | 6/5/13 |
| 25 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA03323CH (IO-580 Engine) | 3000A | 3500 Takeoff 3472 Water Takeoff 3350 Landing | 12D1-7012 | Revision J, dated 3/28/14, or later FAA approved revision | POHSA01156CH-A-15 dated 4/14/14, or later FAA approved revision | 4/14/14 |
| 26 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA02967CH (Engine Mount) SA03323CH (IO-580 Engine) | 3000S | 3500 Takeoff 3350 Landing | 12D1-7012 | Revision J, dated 3/28/14, or later FAA approved revision | POHSA01156CH-S-16 dated 4/14/14, or later FAA approved revision | 4/14/14 |
| 27 | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000A | 3500 Takeoff 3472 Water Takeoff 3350 Landing | 12D1-7012 | Revision J, dated 3/28/14, or later FAA approved revision | POHSA01156CH-A-17 dated 4/14/14, or later FAA approved revision | 4/14/14 |
| 28 | Cessna Aircraft Company Model 182Q S/N 18266591- 18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000S | 3500 Takeoff 3350 Landing | 12D1-7012 | Revision J, dated 3/28/14, or later FAA approved revision | POHSA01156CH-S-18 dated 4/14/14, or later FAA approved revision | 4/14/14 |
| 29 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000A | 3500 Takeoff 3472 Water Takeoff 3350 Landing | 12D1-7012 | Revision J, dated 3/28/14, or later FAA approved revision | POHSA01156CH-A-17 dated 4/14/14, or later FAA approved revision | 4/14/14 |

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|---|---|---|--|----------------|------------------------------|------------------------------|---|--|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 30 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000S | 3500 Takeoff 3350 Landing | 12D1-7012 | Revision J, dated 3/28/14, or later FAA approved revision | POHSA01156CH-S-18 dated 4/14/14, or later FAA approved revision | 4/14/14 |
| 31 | Cessna Aircraft Company Model 182P S/N 675, 18260826- 18264295 EXCEPT 18263479 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000A | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-A-23 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 32 | Cessna Aircraft Company Model 182P S/N 675, 18260826- 18264295 EXCEPT 18263479 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000S | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-S-24 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 33 | Cessna Aircraft Company Model 182P S/N 18264296- 18265175 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000A | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-A-21 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 34 | Cessna Aircraft Company Model 182P S/N 18264296- 18265175 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000S | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-S-22 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 35 | Cessna Aircraft Company Model 182Q S/N 18263479, 18265176-18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000A | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-A-21 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 36 | Cessna Aircraft Company Model 182Q S/N 18263479, 18265176-18267715 EXCEPT 18267302 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000S | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-S-22 dated 10/9/14, or later FAA approved revision | 10/10/14 |

**FAA APPROVED MODEL LIST (AML) NO. SA01156CH
WIPAIRE INC.
INSTALLATION OF MODEL 3000 AMPHIBIAN/SEAPLANE FLOATS**

ISSUE DATE: 12/15/99

| ITEM | AIRCRAFT MAKE and Model | ORIGINAL TYPE CERTIFICATE NUMBER | CERTIFICATION BASIS FOR ALTERATION | ADDITIONAL REQUIRED STC | FLOAT MODEL | MAXIMUM WEIGHT (LBS) | INSTALLATION INSTRUCTIONS | | AFM SUPPLEMENT NUMBER/DATE | AML AMEND DATE |
|------|---|---|---|--|----------------|------------------------------|------------------------------|---|--|----------------------|
| | | | | | | | DRAWING NUMBER | REVISION NO. & DATE | | |
| 37 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000A | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-A-21 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 38 | Cessna Aircraft Company Model 182R S/N 18267302, 18267716-18268585 | 3A13 | CAR 3 | SA02967CH (Engine Mount) SA00152WI (IO-550 Engine) | 3000S | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-S-22 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 39 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA39CH (Gear Advisory) SA02967CH (Engine Mount) SA03323CH (IO-580 Engine) | 3000A | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-A-19 dated 10/9/14, or later FAA approved revision | 10/10/14 |
| 40 | Cessna Aircraft Company Model 182S, 182T S/N 18280001 and up EXCEPT 18280617- 18280670 | 3A13 | 14 CFR 23 | SA02967CH (Engine Mount) SA03323CH (IO-580 Engine) | 3000S | 3370 Takeoff 3350 Landing | 12D1-7012 | Revision L, dated 9/26/14, or later FAA approved revision | POHSA01156CH-S-20 dated 10/9/14, or later FAA approved revision | 10/10/14 |

Original signed by:
Gregory J. Michalik

Karol Mordasiewicz
Manager, Airframe & Administrative Branch
Chicago Aircraft Certification Office

Amended: 6/22/04, 6/5/13, 4/14/14, 10/10/14