

United States of America
Department of Transportation -- Federal Aviation Administration
Supplemental Type Certificate

Number SA10195SC

This certificate issued to ACC-KP, LLC
4554 Claire Chennault St.
Addison, TX 75001

certifies that the change in the type design for the following product with the limitations and conditions therefor as specified hereon meets the airworthiness requirements of Part 23 of the Federal Aviation Regulations.

Original Product -- Type Certificate Number: A00009CH
Make: Cirrus Design Corporation
Model: SR22

Description of Type Design Change:

Installation of an engine driven vapor cycle air conditioning system in accordance with Keith Products, L.P., Master Document List, Report Number: DL-220, Revision Q, dated: July 8, 2010, or later FAA approved revision. FAA approved Aircraft Flight Manual Supplement, Document Number: CR-220-9, dated October 14, 2003, or later FAA approved revision is required.

Limitations and Conditions:

(See continuation sheet 3 of 3)

This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

Date of application: February 27, 2003

Date reissued: 9/11/10; 1/4/11; 12/6/11;
5/17/13

Date of issuance: October 14, 2003

Date amended: December 3, 2010



By direction of the Administrator

(Signature)
S. Frances Cox, Manager,
Special Certification Office,
Southwest Region

(Title)

United States of America
Department of Transportation -- Federal Aviation Administration
Supplemental Type Certificate
(Continuation Sheet)

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.

United States of America
Department of Transportation -- Federal Aviation Administration

Supplemental Type Certificate
(Continuation Sheet)

Number SA10195SC

Date of Issuance: October 14, 2003

Date of Reissuance: May 17, 2013

Limitations and Conditions (Continued):

Instructions for Continued Airworthiness are contained in the Maintenance Manual Document Number CR-220-10, Revision: H, Dated: June 29, 2010 or later FAA accepted revision.

This STC requires: 1) a minimum 95A, 24V alternator installed per Keith Products, L.P. drawing number 220-0700, and 2) a BC410-01 alternator installed on the R.H. drive pad on the rear of the engine. If the holder agrees to permit another person to use this certificate to alter a product, the holder must give the other person written evidence of that permission.

-END-