

United States Of America
Department of Transportation - Federal Aviation Administration
Supplemental Type Certificate

Number SH5762NM

This Certificate issued to Waukena Flying Services, Inc.
2680 Waukena Drive
Tulare, CA 93274

certifies that the change in the type design for the following product with the limitations and conditions therefor as specified hereon meets the airworthiness requirements of Part 21 of the Federal Aviation Regulations

Original Product Type Certificate Number : H9EA

Make : Boeing

Model : 234

Description of Type Design Change:

Installation of Advanced Technology Aircraft Company engine barrier filter in accordance with Advanced Technology Aircraft Company Master Drawing List No. 234, Revision C, dated August 17, 1992, or later FAA approved revisions. This STC is issued for use in the restricted category only, and the rotorcraft must be operated accordingly with the ATAC engine barrier filter installed.

Limitations and Conditions: Approval of the change in type design applies to the above model rotorcraft only. This approval should not be extended to other rotorcraft of this model series on which other previously approved modifications are incorporated unless it is determined that the relationship between this change and any of those other previously approved modifications, including changes in type design, will introduce no adverse effect upon the airworthiness of that rotorcraft. A copy of this Certificate Continuation Sheet, and FAA Approved Flight Manual Supplement dated August 24, 1992, must be maintained as part of the permanent records for the modified rotorcraft. If the holder agrees to permit another person to use this certificate to alter the product, the holder shall give the other person written evidence of that permission. (Continued on page 3).

This certificate and the supporting data which is the basis for approval shall remain in effect until

Date of application : December 18, 1991

Date reissued : December 16, 2011

Date of issuance : September 22, 1992

Date amended :

surrendered, suspended, revoked or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

By direction of the Administrator

(Signature)

Manager, Systems and Equipment Branch
Los Angeles Aircraft Certification Office

(Title)

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.

United States Of America
Department of Transportation - Federal Aviation Administration
Supplemental Type Certificate
(Continuation Sheet)



Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.

United States Of America
Department of Transportation - Federal Aviation Administration
Supplemental Type Certificate
(Continuation Sheet)

Number SH5762NM

Limitations and Conditions continued

The conditions and limitations of the Type Data Sheet, number H9EA, apply except where superseded by the following:

Restricted Category:

This STC is issued in the restricted category, and the rotorcraft must be operated accordingly when the ATAC engine barrier filter is installed.

Outside Air Temperature/Visible Moisture:

Flight in visible moisture with an outside air temperature below 40F and the ATAC engine barrier filter element installed is prohibited.

Required Placards:

CAUTION:
FLIGHT IN VISIBLE MOISTURE BELOW 40F WITH
ENGINE INLET FILTER ELEMENT IN PLACE IS PROHIBITED

-----END-----